

TIB KAT[®] 218

TIB KAT 218 is a versatile multi-purpose catalyst for many applications like:

- Esterification and transesterification reactions between 80 – 240°C at concentrations between 0.01 – 1 wt.-%,
- Polyurethane systems as
 - can & coil coatings, car refinishing, architectial coatings and other industrial coatings
 - 1 and 2-comp. adhesives & sealants
 - Elastomers
- Silicones & silane crosslinking, especially for
 1- and 2-component RTV silicones
- Crosslinking of silane modified polyolefines (XPE)

Upon request, **TIB KAT 218** can also be offered in special formulations.

| Product Data | |
|---------------|--------------------------|
| Chemical name | Dibutyltinlaurate (DBTL) |
| CAS No. | 77-58-7 |
| Appearance | clear liquid |
| Melting point | approx. 10 - 15°C |

| Specification | |
|------------------|-------------------------------|
| Tin content | ≥ 17.5 % |
| Density (20°C) | 1.03 - 1.06 g/cm ³ |
| Colour (Gardner) | ≤ 3 |

Storage

TIB KAT 218 can be stored at least one year if kept closed in the original packaging; sensitive to frost.

Packaging

220 kg drum, other packaging size upon request.

Special advice for security

Information concerning

- classification and labelling according to the regulations governing transport and hazardous chemicals
- protective measures for storage and handling
- safety measures in case of accident and fire
- · toxicity and ecological effects

is given in our material safety data sheet.

Customs Tariff No.: 2931 9000

Issue / Oct 16

TIB Chemicals AG | Mülheimer Strasse 16 -22 | D-68219 Mannheim | P.O. Box 81 02 20 | D-68202 Mannheim Phone +49 (0) 621 8901- 811 | Fax +49 (0) 621 8901- 475 | info.@tib-chemicals.com | www.tib-chemicals.com



This information is given to the best of our knowledge but without obligation. We are not liable for any wrong advice or any advice we may have failed to give. This data sheet becomes invalid as soon as a new edition has been published. Please contact us for latest.